PREFACE

Presently, the demand of energy is met by fossil fuels. Combustion of fossil fuels has caused negative impacts to the environment globally. The most significant ones are acid precipitation, stratospheric ozone depletion, and global climate change. To overcome it, sustainable, clean and safe energy policies that would satisfy the energy demand of the 21st century have to be implemented. Renewable energy resources appear to be the one of the most efficient and effective solutions, therefore be key energy sources for the future. There is an intimate connection between renewable energy and sustainable development. The Strategy for Promotion of Renewable Energy, its implementation mechanisms in all Islamic countries and defining their obstacles for some of the selected Islamic countries. Long terms strategies like establishing education and capacity building programs, creating renewable energy market and financing mechanism, improving appropriate energy policies and establishing database and international collaboration have to be adopted to promote renewable energy technologies. Several strategies for enhancing of widespread application of renewable energy technology are described.

INTRODUCTION

Energy is a key factor in economic development and in providing vital services that improve quality of life. Energy is required for meeting all of the basic needs such as food and health, agriculture, education, information, and other infrastructure services and shows clear correlation with the Human Development Index HDI (see ***Figure 1***) (Rehling *et al.*, 2004). There are wide variations in energy consumption between developed and developing countries, and between the rich and the poor, with attendant variations in human development. Furthermore, the way in which energy is generated, distributed and consumed affects the local, regional and global environment with serious implications for poor people's livelihood strategies and human development prospects (Gaye, 2008).



FIGURE 1. HDI and Commercial Energy Consumption

Sustainable development demands a sustainable supply of energy resources that, in the long term, is readily and sustainably available at reasonable cost and can be utilized for all required tasks without causing negative societal impacts. Supplies of energy resources such as fossil fuels (coal, oil, and natural gas) and uranium are generally acknowledged to be finite; other energy sources such as solar, wind and hydro are generally considered renewable and therefore sustainable over the relatively long term (Dincer, 2000). ***Figure 2*** shows the schematic of sustainable development.



FIGURE 2. Elements of sustainable development

Until today, the demand of energy is met by fossil fuels (i.e. coal petroleum and natural gas). It is a well know fact that 8 countries have 81% of all world crude oil reserves, 6 countries have 70% of all natural gas reserves and 8 countries have 89% of all cost reserves (IEA website, 2003). More than half of Asia, Africa and Latin America import over half of all their commercial energy. This problem is worsened by the fact that demand on power generation is continuously increasing in these countries.

The world faces an unsustainable energy future if governments do not radically adopt appropriate policies to promote their energy development goal. If governments stick with current policies, the world's primary energy needs will grow by 55 % between 2005 and 2030. Growing demand will happen mostly in developing countries and will be overwhelmingly (84 %) met by fossil fuels. Greenhouse gas emissions will rise by 57 % [a].

It is estimated that 16 million tones of CO_2 are emitted into the atmosphere every 24 hours worldwide. If all emissions were to stop today, the CO_2 that has already been emitted will result in an enhanced GHG effect for the next 50 years. Meeting the energy needs of un-served populations in developing countries while at the same mitigating climate change is a major challenge and requires a number of government actions and international cooperation in promoting renewable energy, enacting proper regulations, attracting sufficient investment in clean energy development, reworking the tax structure to remove barriers to energy access, as well as effective targeting of energy subsidies with clear exit strategies (Tulloch, 2007).

Scientific assessment based on the available instrumental observational records from the industrial era to the present day showed that:

(a) Global mean temperature has increased by between 0.3-0.6 °C since the 19th century, while mean sea level has risen between 10-25 cm over the same period

(b) Night-time minimum temperature over land have generally increased more than the daytime temperatures and

(c) Recent years have been among the warmest since 1860, despite the cooling effect of 1991 Mount Pinatubo volcanic eruption.

The occurrences of these phenomena are due to emissions of greenhouse gases arising from human activities; especially those related to the use of fossil fuel, agricultural practices and land-use management have many side effects. Their combustion products produce pollution, acid rain and global warming. In fact the last two decades have been the warmest on record with 1998 being the warmest even with the cold La Nina conditions that dominate the year 1999. Increasing global temperature is expected to cause sea level to raise, an increase in the intensity of extreme weather events, and significant changes to the amount and pattern of precipitation. Other expected effects of global warming include changes in agricultural yields, modifications of trade routes, glacier retreat, species extinctions and increases in the ranges of disease vectors.

Climate change worries, growing support from world governments, rising oil prices and ongoing energy security concerns combined to fuel another record-setting year of investment in the renewable energy and energy efficiency industries in 2007. With end of cheap oil, renewables and energy efficiency attracts fast-growing interest; New investment surpasses $148 billion in 2007, a 60% rise from 2006, growth continues in 2008. [b]

Renewable energy resources should therefore be key energy sources for the future. Renewable energy sources and systems can have a beneficial impact on the following essential technical, environmental, economic, and political issues of the world (McGowan, 1990):

- Major environmental problems (e.g., acid rain, stratospheric ozone depletion, greenhouse effect)
- Environmental degradation
- Depletion of the world's nonrenewable energy sources
- Increasing energy use in developing countries.

In order to tackle the core problems of environmental degradation, diminishing natural resources and increasing poverty an important "tool" in this process is the use of sustainable energy systems which represent an essential precondition for social and economic development of a country - together with the changing of attitudes, community mobilization and transfer of knowledge (Rehling *et al.*, 2004).

The Strategy for Promotion of Renewable Energy in the Islamic countries describes several strategies for enhancing of widespread application of renewable energy technology.

RENEWABLE ENERGY RESOURCES

Figure 3 shows the classifications of energy resources. The energy resources are divided into solar radiation, geothermal, wave and tidal, and nuclear. Solar radiation consists of direct solar, stored solar and indirect solar energy. Solar photovoltaic and solar thermal are two forms of energy classified under direct solar. Stored solar energy consists of non- renewable hydrogen carbon such as petroleum, natural gas, coal and shale and renewable hydrocarbon such as biomass and biogas. Indirect solar energy consists of hydropower and wind energy.



FIGURE 3. Classifications of Energy Resources

Solar Photovoltaic

World solar photovoltaic (PV) market installations reached a record high of 7.5 gigawatt (GW) in 2009 as shown in ***Figure 4***, representing growth of 20% over the previous year. The PV industry generated USD38.5 billion in global revenues in 2009, while successfully raising over USD 13.5 billion in equity and debt, up 8% on the prior year.



FIGURE 4. Photovoltaics Market of the World (2009) - 7.5 GW

Figure 5 shows the photovoltaic production of the panels by countries. China is the largest producer followed by Germany and Japan. Among the OIC member country, Malaysia produced about 3 % of the world photovoltaic panels in 2009 largely attributed to Foreign Direct Investment (FDI) by First Solar (USA) and Q Cells (Germany). Malaysia is projected to contributed about 11% of the world production with the production of solar cells from Sun Power (USA) in Malaysia as shown in ***Figure 6***. The only local solar panel manufacturer in Malaysia is Solartiff Sdn Bhd which has the capabilty of producing 1 MW per year. ***Figure 7*** shows the application of solar photovoltaic system in the world.



FIGURE 5. PV Production in 2009 (7.5GW)



FIGURE 6. Projected PV Production in 2011 (18 GW)



FIGURE 7. PV Application Split (2008)

Solar Thermal Technology

The most important component of solar thermal technology is the solar thermal collector. A solar thermal collector is designed to collect heat by absorbing sunlight. Solar thermal collectors fall into two general categories: non-concentrating and concentrating. In the non-concentrating type, the collector area (i.e. the area that intercepts the solar radiation) is the same as the absorber area (i.e., the area absorbing the radiation). In these types the whole solar panel absorbs the light.

For flat plat collectors, Islamic countries that have appropriate manufacturing facilities are Malaysia, Turkey, Iran, and Indonesia. As for concentrating solar collectors several Islamic countries such as Iran and Kuwait has large scale application for power generation.

Solar Hot Water Heater

Flat plate and evacuated tube solar collectors are used to collect heat for space heating or domestic hot water. They consist of (a) a dark flat-plate absorber of solar energy, (b) a transparent cover that allows solar energy to pass through but reduces heat losses, (c) a heat-transport fluid (air, antifreeze or water) flowing through tubes to remove heat from the absorber, and (d) a heat insulating backing. The absorber consists of a thin absorber sheet (of thermally stable polymers, aluminum, steel or copper, to which a black or selective coating is applied) backed by a grid or coil of fluid tubing placed in an insulated casing with a glass or polycarbonate cover. Fluid is circulated through the tubing to transfer heat from the absorber to an insulated water tank. This may be achieved directly or though a heat exchanger. Some fabricates have a completely flooded absorber consisting of two sheets of metal stamped to produce a circulation zone. Because the heat exchange area is greater they may be marginally more efficient than traditional absorbers.

As an alternative to metal collectors, new polymer flat plate collectors. These may be wholly polymer, or they may include metal plates in front of freeze-tolerant water channels made of silicone rubber. Polymers, being flexible and therefore freeze-tolerant, are able to contain plain water instead of antifreeze, so that they may be plumbed directly into existing water tanks instead of needing to use heat exchangers which lowers efficiency. By dispensing with a heat exchanger in these flat plate panel, temperatures need not be quite so high for the circulation system to be switched on, so such direct circulation panels, whether polymer or otherwise, can be more efficient, particularly at low light levels. However, polymer collectors suffer from overheating when insulated, as stagnation temperatures can exceed the melting point of the polymer. For example, the melting point of polypropylene is 160°C, while the stagnation temperature of insulated thermal collectors can exceed 180°C if control strategies are not used.

Evacuated Tubes

Evacuated tube collectors have multiple evacuated borosilicate glass tubes which heat up solar absorbers and, ultimately, solar working fluid (water or an antifreeze mix-typically propylene glycol) in order to heat domestic hot water, or for hydronic space heating. The vacuum within the evacuated tubes reduce convection and conduction heat losses, allowing them to reach considerably higher temperatures than most flat-plate collectors. Two types of tube collectors are distinguished by their heat transfer method: the older type pumps a heat transfer fluid (water or antifreeze) through a U-shaped copper tube in each of the glass collector tubes. A newer type uses a sealed heat pipe that contains a liquid that vapourises as it is heated. The vapour rises to a heat-transfer bulb positioned outside the collector tube in a manifold through which water (in direct systems) or heat transfer fluid (HTF in indirect systems) is pumped. The vacuum that surrounds the outside of the tube reduces heat loss to the outside, therefore the greater efficiency of evacuated tube collectors. Therefore they can perform well in colder conditions. The advantage is largely lost in warmer climates, except in those cases where very hot water is desirable, for example commercial process water. The high temperatures that can occur may require special system design to avoid or mitigate overheating conditions though some have built in temperature limitation.

Solar Air Heater

The basic components of a solar air heater system include solar collector panels, a duct system and diffusers. Systems can operate with or without a fan. Without a fan the air is distributed by the action of a natural ventilation system. Air is heated in a collector and either transferred directly to the interior space or to a storage medium, such as a rock bin. Solar air heaters use solar panels to warm air which is then conveyed into a room or drying chamber for drying of marine or agricultural produce.

Photovoltaic thermal collectors

The term photovoltaic thermal collector or PVT refers to solar thermal collectors that use PV cells as an integral part of the absorber plate. The system generates both thermal and electrical energy simultaneously. The number of the photovoltaic cells in the system can be adjusted according to the local load demands. In conventional solar thermal system, external electrical energy is required to circulate the working fluid through the system. The need for an external electrical source can be eliminated by using this hybrid system. With a suitable design, one can produce a self-sufficient solar collector system that requires no external electrical energy to run the system. The different options in the development in PVT systems have been categorized by the heat transfer fluid used i.e. air, water, refrigerant. The choice of the heat transfer fluid is fundamental to the design of PVT systems.

Wind Energy

In spite of the global economic crisis, investment in new wind turbines exceeded by far all previous years. The wind capacity worldwide in 2009 reached 159,213 Megawatt, after 120, 903 MW in 2008, 93'930 MW in 2007, 74'123 MW in 2006, and 59'012 MW in 2005. Hence, the installed wind capacity is more than doubling every third year. The market for new wind turbines showed a 42.1 % increase and reached an overall size of 38, 312 MW, after 26, 969 MW in 2008, 19,808 MW in 2007 and 15'111 MW in the year 2006. Ten years ago, the market for new wind turbines had only a size of 4 Gigawatt, only one tenth of the size of 2009. ***Table 1*** shows the world wind energy growth rate and installed Power (www.WWindEA.org).

TABLE 1(a). World Wind Energy Growth Rate and Installed Power (www.WWindEA.org)

Position 2009	Country / Region	Total capacity end 2009 [MW]	Added capacity 2009 [MW]	Growth rate 2009 [%]	Position 2008	Total capacity end 2008 [MW]	Total capacity end 2007 [MW]	Total capacity end 2006 [MW]
1	USA	35.159,0	9.922,0	39,3	1	25.237,0	16.823,0	11.575,0
2	China	26.010,0	13.800,0	113,0	4	12.210,0	5.912,0	2.599,0
3	Germany	25.777,0	1.880,0	7,9	2	23.897,0	22.247,4	20.622,0
4	Spain	19.149,0	2.460,0	14,7	3	16.689,0	15.145,1	11.630,0
5	India	10.925,0	1.338,0	14,0	5	9.587,0	7.850,0	6.270,0
6	Italy	4.850,0	1.114,0	29,8	6	3.736,0	2.726,1	2.123,4
7	France	4.521,0	1.117,0	32,8	7	3.404,0	2.455,0	1.567,0
8	United Kingdom	4.092,0	897,0	28,1	8	3.195,0	2.389,0	1.962,9
9	Portugal	3.535,0	673,0	23,5	10	2.862,0	2.130,0	1.716,0
10	Denmark	3.497,0	334,0	10,6	9	3.163,0	3.125,0	3.136,0
11	Canada	3.319,0	950,0	40,1	11	2.369,0	1.846,0	1.460,0
12	The Netherlands	2.240,0	5,0	0,2	12	2.235,0	1.747,0	1.559,0
13	Japan	2.056,0	176,0	9,4	13	1.880,0	1.528,0	1.309,0
14	Australia	1.877,0	383,0	25,6	14	1.494,0	817,3	817,3
15	Sweden	1.579,0	512,0	48,0	16	1.066,9	831,0	571,2
16	Ireland	1.260,0	233,0	22,7	15	1.027,0	805,0	746,0
17	Greece	1.109,0	119,0	12,0	18	989,7	873,3	757,6
18	Austria	995,0	0,0	0,0	17	994,9	981,5	964,5
19	Turkey	796,5	463,1	138,9	25	333,4	206,8	64,6
20	Poland	666,0	194,0	41,1	19	472,0	276,0	153,0
21	Brazil	600,0	261,5	77,3	24	338,5	247,1	236,9
22	Belgium	555,0	171,0	44,6	22	383,6	286,9	194,3
23	New Zealand	497,0	172,0	52,9	26	325,3	321,8	171,0
24	Chinese Taipeh	436,0	78,0	21,8	23	358,2	279,9	187,7
25	Norway	431,0	2,0	0,5	20	429,0	333,0	325,0
26	Egypt	430,0	40,0	10,3	21	390,0	310,0	230,0
27	Mexico	402,0	317,0	372,9	34	85,0	85,0	84,0
28	Korea (South)	364,4	86,4	31,1	27	278,0	192,1	176,3
29	Morocco	253,0	129,0	104,0	32	124,0	125,2	64,0
30	Bulgaria	214,2	56,7	36,0	28	157,5	56,9	36,0
31	Hungary	201,0	74,0	58,3	31	127,0	65,0	60,9
32	Czech Republic	191,0	41,0	27,3	29	150,0	116,0	56,5
33	Finland	147,0	4,0	2,8	30	143,0	110,0	86,0
34	Estonia	142,3	64,0	81,8	36	78,3	58,6	33,0
35	Costa Rica	123,0	49,5	66,9	37	74,0	74,0	74,0
36	Lithuania	91,0	37,0	68,0	38	54,4	52,3	55,0
37	Ukraine	90,0	0,0	0,0	33	90,0	89,0	85,6
38	Iran	82,0	0,0	0,0	35	82,0	66,5	47,4
39	Chile	78,0	58,0	288,6	47	20,1	20,1	2,0
40	Nicaragua	40,0	40,0	new	new	0,0	0,0	0,0
41	Luxembourg	35,3	0,0	0,0	39	35,3	35,3	35,3
42	Philippines	33,0	8,0	31,8	42	25,2	25,2	25,2
43	Argentina	29,8	0,0	0,0	41	29,8	29,8	27,8
44	Jamaica	29,7	9,0	43,5	44	20,7	20,7	20,7
45	Latvia	28,5	1,6	5,9	40	26,9	26,9	26,9

TABLE 1(b). World Wind Energy Growth Rate and Installed Power (www.WWindEA.org)

Position 2009	Country / Region	Total capacity end 2009 [MW]	Added capacity 2009 [MW]	Growth rate 2009 [%]	Position 2008	Total capacity end 2008 [MW]	Total capacity end 2007 [MW]	Total capacity end 2006 [MW]
46	Croatia	27,8	9,6	52,9	50	18,2	17,2	17,2
47	Netherlands Antilles	24,3	12,0	97,6	54	12,3	12,3	12,0
48	South Africa	21,8	0,0	0,0	43	21,8	16,6	16,6
49	Guadeloupe	20,5	0,0	0,0	45	20,5	20,5	20,5
49	Uruguay	20,5	0,0	0,0	46	20,5	0,6	0,2
51	Colombia	20,0	0,0	0,0	49	19,5	19,5	19,5
51	Tunisia	20,0	0,0	0,0	48	20,0	20,0	20,0
53	Switzerland	17,6	4,0	29,0	52	13,6	11,6	11,6
54	Russia	16,5	0,0	0,0	51	16,5	16,5	15,5
55	Romania	14,0	7,0	100,0	56	7,0	7,8	2,8
56	Guyana	13,5	0,0	0,0	53	13,5	13,5	13,5
57	Vietnam	8,8	7,5	600,0	66	1,3	0,0	0,0
58	Cuba	7,2	0,0	0,0	55	7,2	2,1	0,5
59	Slovakia	6,0	0,0	0,0	58	6,0	5,0	5,0
59	Pakistan	6,0	0,0	0,0	58	6,0	0,0	0,0
62	Faroe Islands	4,1	0,0	0,0	60	4,1	4,1	4,1
63	Cape Verde	2,8	0,0	0,0	62	2,8	2,8	2,8
64	Ecuador	2,5	0,0	0,0	61	4,0	3,1	0,0
65	Mongolia	2,4	0,0	0,0	63	2,4	0,0	0,0
66	Nigeria	2,2	0,0	0,0	64	2,2	2,2	2,2
67	Belarus	1,9	0,9	77,3	68	1,1	1,1	1,1
68	Antarctica	1,6	1,0	166,0	73	0,6	0,0	0,0
69	Jordan	1,5	0,0	0,0	65	1,5	1,5	1,5
70	Indonesia	1,4	0,2	16,7	67	1,2	1,0	0,8
71	Martinique	1,1	0,0	0,0	68	1,1	1,1	1,1
72	Falkland Islands	1,0	0,0	0,0	70	1,0	1,0	1,0
73	Eritrea	0,8	0,0	0,0	71	0,8	0,8	0,8
74	Peru	0,7	0,0	0,0	72	0,7	0,7	0,7
75	Kazakhstan	0,5	0,0	0,0	74	0,5	0,5	0,5
75	Namibia	0,5	0,0	0,0	74	0,5	0,5	0,3
75	Syria	0,5	0,1	22,5	76	0,4	0,3	0,3
78	Dominican Republic	0,2	0,0	0,0	77	0,2	0,0	0,0
79	Dominica	0,2	0,0	0,0	77	0,2	0,0	0,0
80	North Korea	0,2	0,0	0,0	77	0,2	0,0	0,0
81	Algeria	0,1	0,0	0,0	80	0,1	0,0	0,0
82	Bolivia	0,01	0,0	0,0	81	0,01	0,01	0,01
	Total	159.213,3	38.312,0	31,7		120.902,9	93.930,4	74.122,8

The growth rate is the relation between the new installed wind power capacity and the installed capacity of the previous year. The annual growth rate continued to increase since the year 2004, reaching 31.7 % in 2009 - the highest rate since 2001 - after 29.0 % in 2008, 26.6 % in 2007, 25,6 % in the year 2006 and 23,8 % in 2005. The highest growth rates of the year 2009 with more than 100 % could be found in Mexico which quadrupled its installed capacity, once again in Turkey (132 %) which had the highest rate in the previous year, in China (113 %) as well as in Morocco (104 %). It is encouraging to see that two of these four of the most dynamic markets can be found in the African Islamic countries, which is still lagging behind the rest of the world in the commercial use of wind power.

All wind turbines installed in Africa in 2009 had a capacity of 770 Megawat (0.5 % of the total worldwide capacity), out of which 169 Megawatt were contributed by two countries, Egypt and Morocco. New wind projects are on the way in the leading countries Egypt and Morocco, but also in new markets like in the already mentioned Tunisia as well as in It is encouraging to see that industrial activities in manufacturing of wind turbines have started in the African Islamic countries as well, mainly in Egypt.

It can be expected that the creation of stable markets on the continent has the potential to lead to the establishment of domestic wind industries in several African Islamic countries. In light of the fact that the majority of the African population still has no access to electricity grids, small, decentralised and stand-alone wind energy systems, in combination with other renewable energies, will have to play a key role. This process of deploying technologies for rural electrification is still in its early stage. The main limiting factors are still the lack of access to know-how as well as to financial resources. In this context, the outcome of the UN climate change discussions and the potential establishment of a Global Fund for Renewable Energy Investment would offer huge opportunities for many African Islamic countries to bypass one of the major barriers for wind energy investments: the lack of financing options.

Hydropower

Hydroelectricity is the term referring to electricity generated by hydropower; the production of electrical power through the use of the gravitational force of falling or flowing water. It is the most widely used form of renewable energy. Once a hydroelectric complex is constructed, the project produces no direct waste, and has a considerably lower output level of the greenhouse gas carbon dioxide (CO_2) than fossil fuel powered energy plants. Worldwide, an installed capacity of 777 GWe supplied 2998 TWh of hydroelectricity in 2006. This was approximately 20% of the world's electricity, and accounted for about 88% of electricity from renewable sources.

Although no official definition exist for the capacity range of large hydroelectric power stations, facilities from over a few hundred megawatts to more than 10 GW is generally considered large hydroelectric facilities. Currently, only three facilities over 10 GW (10,000 MW) are in operation worldwide; Three Gorges Dam at 22.5 GW, Itaipu Dam at 14 GW, and Guri Dam at 10.2 GW. Large-scale hydroelectric power stations are more commonly seen as the largest power producing facilities in the world, with some hydroelectric facilities capable of generating more than double the installed capacities of the current largest nuclear power stations.

Small hydro is the development of hydroelectric power on a scale serving a small community or industrial plant. The definition of a small hydro project varies but a generating capacity of up to 10 megawatts (MW) is generally accepted as the upper limit of what can be termed small hydro. This may be stretched to 25 MW and 30 MW in Canada and the United States. Small-scale hydroelectricity production grew by 28% during 2008 from 2005, raising the total world small-hydro capacity to 85 GW. Over 70% of this was in China (65 GW), followed by Japan (3.5 GW), the United States (3 GW), and India (2 GW). Small hydro plants may be connected to conventional electrical distribution networks as a source of low-cost renewable energy. Alternatively, small hydro projects may be built in isolated areas that would be uneconomic to serve from a network, or in areas where there is no national electrical distribution network. Since small hydro projects usually have minimal reservoirs and civil construction work, they are seen as having a relatively low environmental impact compared to large hydro. This decreased environmental impact depends strongly on the balance between stream flow and power production.

Micro hydro is a term used for hydroelectric power installations that typically produce up to 100 KW of power. These installations can provide power to an isolated home or small community, or are sometimes connected to electric power networks. There are many of these installations around the world, particularly in developing nations as they can provide an economical source of energy without purchase of fuel. Micro hydro systems complement photovoltaic solar energy systems because in many areas, water flow, and thus available hydro power, is highest in the winter when solar energy is at a minimum.

Pico hydro is a term used for hydroelectric power generation of under 5 KW. It is useful in small, remote communities that require only a small amount of electricity. For example, to power one or two fluorescent light bulbs and a TV or radio for a few homes. Even smaller turbines of 200-300W may power a single home in a developing country with a drop of only 1 m (3 ft). Pico-hydro setups typically are run-of-the-river, meaning that dams are not used, but rather pipes divert some of the flow, drop this down a gradient, and through the turbine before being exhausted back to the stream.

Geothermal

In 2005, there were 8,933 MW of installed power capacity in 24 countries, generating 55,709 GWh per year of green power, according to the International Geothermal Association. IGA reports in 2010 that 10,715 MW is on line generating 67,246 GWh. This represents a 20% increase in geothermal power on line between 2005 and 2010. IGA projects this will grow to 18,500 MW by 2015, which based upon the large number of projects under consideration appears reasonable if not conservative (Bertani, 2010).

The countries with the greatest increase in installed capacity (MW) between 2005 and 2010 were: 1) US - 530 MW, 2) Indonesia - 400 MW, 3) Iceland - 373 MW, 4) New Zealand - 193 MW, and 5) Turkey 0 62 MW. In terms of the percentage increase the top five countries were 1) German - 2,774%, 2) Papua-New Guinea - 833%, 3) Australia - 633%, 4 Turkey - 308%, and 5) Iceland - 184%.

Turkey has reached 550 MW in 2010 and has a goal to reach 550 MW of geothermal power on line by 2013. Nearly 274 geothermal fields are documented, with a proven potential of 3293 MW. Total geothermal potential estimates are 31,500 to 35,600 MW. Installed capacity for direct usage is 1,177 MW (<http://www.hurriyet.com.tr/english/finance/11016954.asp?scr=1>

Indonesia's National Energy Blueprint sets a goal of 9,500 MW of geothermal power production, an 800% increase. With an impressive 28,100 MW potential, Indonesia has approximately 40% of the world geothermal energy reserves. Of that, 1,197 MW has been exploited.223 Indonesia ranks third in the world in terms of geothermal energy consumption, after the US and the Philippines. It is also the third biggest emitter of greenhouse gases and aims to cut emissions by 16% by 2025. The Indonesian government recently announced it has signed US$ 5 billion worth of geothermal energy deals, and it has a goal to reach 9,000 MW from geothermal resources by 2025 and to be the world's largest producer of geothermal energy (<http://www.thejakartapost.com/news/2010/04/27/indonesia-set-become-no-1-user-geothermal.html>.

Geothermal resources in Algeria are primarily utilized for balneotherapy and thermal resorts, although there has been a recent spike in interest of geothermal aquaculture projects, three sites having already been selected for this purpose. Some direct use application also exists in the country, with at least one school deriving its heating and cooling via a geothermal heat pump. Djibouti is reportedly working with Reykjavik Energy to plan for a 50 MW geothermal power plant in the Asal area to be completed by 2012. According to additional studies conducted in the Asal region, three independent subfields exist in the area.13 If the plant is later expanded as anticipated, it could generate 100-150 MW electricity from geothermal resources. Tunisia's geothermal resources are largely employed for irrigation and direct-use heating of the country's greenhouses (http://www.tunisiaonlinenews.com/?p=34749). Pursuant to a 2009-2014 Presidential program, Tunisia plans to double the 194,000 hectares currently used for geothermal farming to 310,000 hectares in 2010 Tunisia is ranked third in the world for agricultural application of geothermal resources (the first two positions being occupied by the US and Hungary, respectively). Tunisia's geothermal development has benefited from foreign investments, which are facilitating the country's regional development strategy goal of reaching 150 hectares of greenhouses by 2016. Foreign capital is also contributing to executing Tunisia's 2005 framework policy on energy conservation and renewable energy which, among other objectives, aims to enhance energy capitalization of geothermal waters. Up to 47% of the Yemen Geothermal Development Project is being financed by the Global Environment Facility (GEF) Trust Fund, which aims to "accelerate the exploration and the development of geothermal power use in Yemen."

Geothermal exploration in Iran has gain momentum in the last five years, with increased exploration and foreign technology sharing spurring industry growth in the country. In addition to numerous feasibility studies related to geothermal heat pumps, Iran is also developing a geothermal plant for power production and exploring the possibility of using wastewater frothe plant for direct use. In January 2010, Iran's deputy minister for electricity Abbas Aliabadi announced the Iranian government plans to build 2,000 MW of renewable energy capacity over the next five years.

Wave and Tidal Energy

Wave energy generates electricity, heat or mechanical energy from ocean wave. Some other applications beside electricity generation include desalination, pumping of seawater for marine culture are potentially viable. No activities are conducted in the Islamic countries. A number of pilot schemes have been installed in Asia, Europe and the United States. The total exploitable word wave power resource is estimated to be 2 - 5 TW (1012 Watts), largely to be found in offshore locations where the water is deeper than 40m, and the power density can be 50 to 70 kW/m of wave crest. The shoreline resource, although easier to exploit, has a lower power density (around 20 kW/m) since the energy content of waves is partially dissipated as they run through shallow water on their approach the shore. Several prototype wave energy converters were commissioned around the world and the significant in size being the demonstration projects in Norway, a 600 kW oscillating water column and a 350 kW Tapchan (tapered channel), which are out of operation. However, they successfully demonstrated the principles and subsequent developments have benefited from the experience gained.

Tidal energy uses the force of incoming-outgoing flow of water in the same technique that hydroelectric plants use the flow of falling water. Each tidal site is specific and the engineering must reflect a design that will ensure adequate water flow. Although there are only few tidal plants in operation, several exploratory facilities have been constructed. At La Rance, France, a 240 MW facility currently in operation. Canada has built a plant on the large tidal flats located in the Bay of Fundy. In 1989, the Chinese government erected several small tidal plants, and completed a 10 MW plant in the Zhejang Province. These types of technologies will not be of any important in supplying energy in the immediate future, however, research and development deserve support as a future potential source of vast amounts of energy.

Ocean Thermal Energy Conversion

Ocean thermal energy conversion is commonly known as OTEC. OTEC systems use the ocean's natural thermal gradient. The thermal gradient is due to the fact that the ocean's layers of water have different temperatures that can drive a power producing cycle. The system can produce significant amount of power as long as the temperature between the warm surface water and the cold deep water differs by 20° C.

No activities in ocean thermal energy conversion has been reported for the Islamic countries. A number of islands in the Caribbean, Pacific, and the Mediterranean have the conditions suitable for OTEC. The potential of OTEC is estimated to be 10 TW (1013 Watts) of base load power generation. The cold, deep seawater used in the OTEC process is also rich in nutrients, and it can be used to culture both marine organism and plant life near the shore or on land. OTEC is very promising and useful as alternative energy resource for tropical island communities that rely heavily on imported fuel. The OTEC plant in this community can also provide power, desalinated water and variety of mariculture products. The most significant achievement in OTEC technology was the production of a record 50 kW of electricity during a net power producing experiment with an open-cycle OTEC plant in Keahole Point, Hawaii.

There is a general realization among those working on OTEC technology that the time is right to go ahead with small scale, which would provide sufficient operation information to plan, design and fund commercial OTEC plants. The size of this early commercial pilot plant would vary between 2 and 10 MW.

Hydrogen Energy and Fuel Cell

Scientists have dreamed of the ultimate source of energy that will power the world forever. This ultimate source is hydrogen. Hydrogen can be produced by the electrolysis of water and when burned in oxygen produces only energy and water, without any of the green house gases. However, when hydrogen is burnt in air oxides of nitrogen, the old green house gases will be produced also. A cleaner way to get energy from hydrogen is through the fuel cell. The fuel cell is an electrochemical cell, which produces electricity directly from hydrogen and air, without the production of green house gases. Research and development on the fuel cell is intensively carried out in the United States, Europe and Japan. Some have claimed to be able to produce fuel cells of 25 kW capacity at the cost of less than US$300 per kilowatt. This price is much reduced from those used in the space shuttle, which was US$500,000 per kilowatt.

Hydrogen is produced from sources such as natural gas, coal, gasoline, methanol, or biomass through the application of heat; from bacteria or algae through photosynthesis; or by using electricity or sunlight to split water into hydrogen and oxygen. The use of hydrogen as a fuel and energy carrier will require an infrastructure for safe and cost-effective hydrogen transport and storage. Hydrogen has an excellent safety record, and is as safe for transport, storage and use as many other fuels. Nevertheless, safety remains a top priority in all aspects of hydrogen energy. The hydrogen community addresses safety through stringent design and testing of storage and transport concepts, and by developing codes and standards for all types of hydrogen-related equipment.

The vision of building an energy infrastructure that uses hydrogen as an energy carrier - a concept called the "hydrogen economy" - is considered the most likely path toward a full commercial application of hydrogen energy technologies. Hydrogen is produced from available energy sources and used in every application where fossil fuels are being used in transportation, residential, commercial and industrial sectors and for electricity generation. The United States, Japan and many European countries have formulated strategies for long-term usage of hydrogen as energy carriers. Such concept has been proposed for many developing countries including Malaysia (Sopian *et al*, 1995).

A large-scale solar hydrogen production in the Libyan desert and export hydrogen to Europe was also proposed (ElJrushi and Sharif, 1990). The German-Saudi Arabian project HYSOLAR demonstrates the feasibility of this concept and provides useful information for the design and operation of solar hydrogen plant for the future (Winter and Fuchs, 1991). Iceland has a plan of producing hydrogen for domestic use from renewable energy and will convert to full hydrogen economy by the year 2020 The first large scale hydrogen project in Iceland, the Ecological City Transport System was announced in 2001 that 4% of the city's public transport will be run hydrogen fuel cell buses. In addition, filling stations infrastructure and also electrolyzer facilities producing hydrogen from renewables. Already 70 % of the primary energy sources in Iceland are from renewable mainly hydropower and geothermal (Maack and Skulason, 2002).

RENEWABLE ENERGY RESOURCES

Energy Supply

The fuel mix in energy supply of most of the 39 selected Islamic countries is not yet well diversified. Coal and other clean renewable energy sources share very low percentages in total primary energy supply (TPES). ***Table 2*** shows the contribution of renewables (with and without combustible renewables and waste) to TPES. All the relevant data were obtained and compiled from OECD/IEA [a]-[f].

TABLE 2. Share of Renewables in TPES in 2005

2005 Countries	TPES (ktoe) from all types of fuels	TPES from Fossil Fuels (ktoe)	TPES from Nuclear (ktoe)	TPES from RE (ktoe)	Share of Total RE in TPES (%)	Share of Main Fuels in Total RE (%)		
						Hydro	Geothermal, Solar, and other RE	Combustible Renewables and waste
Albania	2,370	1,676	0	694	29.3	66.6	0.3	33.1
Algeria	34,761	34,637	0	124	0.4	38.7	0.0	61.3
Azerbaijan	13,732	13,468	0	264	1.9	98.1	0.0	1.5
Bahrain	8,128	8,128	0	0	0.0	-	-	-
Bangladesh	24,187	15,780	0	8,407	34.8	1.3	0.0	98.7
Benin	2,533	860	0	1,673	66.0	0.0	0.0	99.9
Brunei Darussalam	2,641	2,623	0	18	0.7	0.0	0.0	100.0
Cameroon	6,978	1,156	0	5,822	83.4	5.8	0.0	94.2
Cote d'Ivoire	7,963	3,269	0	4,694	58.9	2.6	0.0	97.4
Egypt	61,368	58,797	0	2,571	4.2	42.3	1.8	55.9
Gabon	1,721	640	0	1,081	62.8	6.5	0.0	93.5
Indonesia	179,512	121,816	0	57,696	32.1	1.6	9.8	88.6
Iran	162,563	160,392	0	2,171	1.3	63.8	0.0	36.2
Iraq	30,760	30,569	0	191	0.6	23.6	0.0	13.6
Jordan	7,093	6,955	0	138	1.9	3.6	48.6	2.2
Kazakhstan	53,515	52,766	0	749	1.4	90.3	0.0	9.7
Kuwait	28,143	28,143	0	0	0.0	-	-	-
Kyrgyzstan	3,029	1,798	0	1,231	40.6	99.6	0.0	0.3
Lebanon	5,577	5,313	0	264	4.7	34.1	3.4	48.1
Libya	19,047	18,892	0	155	0.8	0.0	0.0	99.4
Malaysia	61,279	57,994	0	3,285	5.4	15.1	0.0	84.8
Morocco	13,813	13,153	0	660	4.8	18.6	2.7	68.2
Mozambique	10,415	553	0	9,862	94.7	11.6	0.0	88.4

Nigeria	103,785	22,180	0	81,605	78.6	0.8	0.0	99.2
Oman	13,946	13,946	0	0	0.0	-	-	-
Pakistan	76,329	45,913	647	29,769	39.0	8.9	0.0	91.1
Qatar	15,826	15,825	0	1	0.0	0.0	0.0	100.0
Saudi Arabia	140,277	140,273	0	4	0.0	0.0	0.0	100.0
Senegal	3,041	1,789	0	1,252	41.2	1.8	0.0	95.2
Sudan	18,398	3,660	0	14,738	80.1	0.7	0.0	99.3
Syria	17,906	17,603	0	303	1.7	97.7	0.0	2.0
Tajikistan	3,458	2,002	0	1,456	42.1	98.6	0.0	0.0
Togo	1,995	362	0	1,633	81.9	0.4	0.0	97.0
Tunisia	8,451	7,314	0	1,137	13.5	1.1	0.4	98.6
Turkey	85,305	75,150	0	10,155	11.9	33.5	13.8	52.7
Turkmenistan	16,591	16,591	0	0	0.0	-	-	-
United Arab Emirates	46,936	46,920	0	16	0.0	0.0	0.0	100.0
Uzbekistan	47,047	46,520	0	527	1.1	100.0	0.0	0.0
Yemen	6,728	6,650	0	78	1.2	0.0	0.0	98.7

Source: Data compiled from OECD/IEA 2007

Bahrain, Kuwait, Oman, and Turkmenistan ge1t their energy sources for TPES 100% from fossil fuels. The TPES per capita ranges from 0.3 - 20 toe/capita. Countries with TPES per capita higher than 10 toe/capita were Bahrain, Kuwait, Qatar and United Arab Emirates.Except Bahrain, these countries are OPEC members, the main exporters for petroleum products and had high dependency on fossil fuels as energy sources where energy from crude oil or/and natural gas shares more than 70% of the TPES. In contrast to countries that had very low TPES per capita (below 0.5 toe/capita) such as Benin, Mozambique and Togo, the main energy source for energy supply was combustible renewables and wastes. Mozambique had the highest renewable energy share of 94.7% in TPES from two sources, i.e. hydro and, combustible renewables and wastes in 2005. Among the renewable energy sources for TPES, combustible renewables and wastes are the dominant for most of the selected Islamic countries except for few. Azerbaijan, Kazakhstan, Kyrgyzstan, Syria, Tajikistan and Uzbekistan used hydro as their main renewable energy sources while in Jordan the main renewable energy sources for TPES are geothermal and solar.

Figure 8 shows the energy per capita and the linkage with GDP per capita for some of the Islamic countries. It shows that the energy usage is tightly linked with the standard of living, where countries that have higher GDP per capita will have higher energy use per capita. Among them, Qatar as one of the OPEC members has the higher total primary energy supply per capita and hence ranks the first position.



FIGURE 8. Energy use per capita (Source: Data compiled from OECD/IEA 2007)

Energy Consumption

Petroleum products and natural gas were the dominant energy consumed. However, countries with total final consumption of energy (TFC) per capita below than 0.5, such as Cameroon, Cote d'Ivoire, Mozambique, Sudan and Togo, were actually consuming energy from combustible renewables and wastes more than 65% of TFC. Combustible renewables and wastes are the major renewable energy sources in TFC for all almost the selected Islamic countries except Jordan, where the main RE sources are geothermal and solar that was about 96% of total RE in TFC. However, countries such as Bahrain, Kuwait, Oman, Tajikistan, Turkmenistan and Uzbekistan totally consumed energy from fossil fuel sources at end use stream. In 2005, countries such as Iraq, Nigeria and Uzbekistan had shown relatively high final energy consumption per GDP, whereas Bangladesh and Tunisia had recorded final energy consumption per GDP less than 100 toe/Million 2000 US$ PPP. These figures indicate that the former group of countries demands more energy for end users to produce 1 unit of final goods or services as compare to the latter group of countries. In term of electricity, Iraq, Kyrgyzstan and Tajikistan had relatively high final electricity consumption per GDP. Whereas countries that had per unit GDPPPP of final electricity consumption lower than 0.1kWh/2000US$ were countries that have electrification rate lower than 33%. Bangladesh is one of the nations with low coverage of electrification, hence lower final energy consumption per GDP. However, Tunisia and Algeria which also had relatively low value of per unit GDP of final energy and electricity consumptions have electricity coverage as high as 98-99%, indicating that they consumed energy more efficiently in socio-economic activities. In contrast, though Iraq is one of the largest energy exporters and has the longest depletion period of crude oil, it had recorded high value of per unit GDP of final energy and electricity consumptions which indicate poor energy efficiency in socio-economic activities.

Relationship between Per Capita Energy Consumption and Income

The relationship between energy consumption per capita and income (GDP per capita) for some of the Islamic countries in 2005 is as shown in ***Figure 9***. Most of the Islamic countries were saturated in the area which has lower per capita energy consumption and GDP. Based on statistical analysis, it could to concluded that they are linked in linear relationship with the best approximate equation of y = 0.225x. Energy is needed for every single activity of economic development. This shows that approximately 0.225 toe of energy is required to earn USD1.0 in these countries.



Electricity generation and consumption

Table 3 shows that there are many people in some countries still have very low accessibility to electricity especially Mozambique (6%, 18.6 million) and Togo (17%, 5.1 million) [f]. The energy sources for countries that have low electrification coverage are mainly combustible renewable and waste which might be traditional biomass such as charcoal, wood, straw, agricultural residues and dung. Inefficiently burned, biomass can be a major cause of indoor smoke pollution. The World Health Organization (WHO) estimated that, each year, 1.6 million women and children in developing countries are killed by the fumes from indoor biomass stoves [g]. Albania, Cameroon, Mozambique and Tajikistan depended nearly 100% of renewable sources to generate electricity. On the other hand, countries that have electrification rate higher than 90%, 85 - 100% of the electricity was generated from fossil fuels. Bahrain, Brunei Darussalam, Kuwait, Libya, Oman, Qatar, Saudi Arabia and United Arab Emirates, which are also net energy exporters, generated electricity 100% from fossil fuels sources. In term of renewable energy in electricity generation, hydropower is the main energy source. Geothermal, solar, wind, tide, wave and other RE sources had also been utilized by Indonesia, Egypt, Morocco, Senegal and Tunisia for electricity generation.

TABLE 3. Electricity generation and consumption in 2005

2005	Electricity Generation (GWh)[a] (% of Total Generation)							Electrification rate (%)[b]	Final Electricity Consumption/GDP PPP (kWh/2000US$)[a]	Final Electricity Consumption/Capita (kWh/capita)[a]
Countries	Fossil Fuels	Nuclear	Hydro	Geothermal	Solar, Wind, Tide, Wave and Other Sources	Combustible Renewables and Waste	Total Electricity Generated			
Albania	70	0	5373	0	0	0	5443	NA	0.24	1163
	(1.3%)	(0.0%)	(98.7%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Algeria	33360	0	555	0	0	0	33915	98	0.13	810
	(98.4%)	(0.0%)	(1.6%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Azerbaijan	18209	0	3009	0	0	0	21218	NA	0.49	2174
	(85.8%)	(0.0%)	(14.2%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Bahrain	8698	0	0	0	0	0	8698	99	0.57	11298
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Bangladesh	21350	0	1293	0	0	0	22643	32	0.08	139
	(94.3%)	(0.0%)	(5.7%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Benin	106	0	1	0	0	0	107	22	0.07	69
	(99.1%)	(0.0%)	(0.9%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Brunei Darussalam	2913	0	0	0	0	0	2913	99	0.33	6687
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Cameroon	232	0	3913	0	0	0	4145	NA	0.10	214
	(5.6%)	(0.0%)	(94.4%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Cote d'Ivoire	4133	0	1437	0	0	0	5570	50	0.11	166
	(74.2%)	(0.0%)	(25.8%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Egypt	95494	0	12644	0	552	0	108690	98	0.31	1183
	(87.9%)	(0.0%)	(11.6%)	(0.0%)	(0.5%)	(0.0%)	(100.0%)			
Gabon	748	0	814	0	0	7	1569	48	0.14	831
	(47.7%)	(0.0%)	(51.9%)	(0.0%)	(0.0%)	(0.4%)	(100.0%)			
Indonesia	109999	0	10759	6604	0	0	127362	54	0.14	485
	(86.4%)	(0.0%)	(8.4%)	(5.2%)	(0.0%)	(0.0%)	(100.0%)			
Iran	164290	0	16100	0	0	0	180390	97	0.28	2006
	(91.1%)	(0.0%)	(8.9%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Iraq	33481	0	519	0	0	0	34000	NA	1.27	1155
	(98.5%)	(0.0%)	(1.5%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Jordan	9591	0	57	0	3	0	9651	100	0.31	1522
	(99.4%)	(0.0%)	(0.6%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Kazakhstan	60060	0	7856	0	0	0	67916	NA	0.06	408
	(88.4%)	(0.0%)	(11.6%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			

Kuwait	43734	0	0	0	0	0	43734	100	0.46	10932
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Kyrgyzstan	60060	0	7856	0	0	0	67916	NA	1.06	1824
	(88.4%)	(0.0%)	(11.6%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Lebanon	9078	0	1046	0	0	0	10124	100	0.50	2488
	(89.7%)	(0.0%)	(10.3%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Libya	22500	0	0	0	0	0	22500	97	0.41	2858
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Malaysia	81522	0	5784	0	0	0	87306	98	0.33	3190
	(93.4%)	(0.0%)	(6.6%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Morocco	21012	0	1426	0	206	0	22644	85	0.14	585
	(92.8%)	(0.0%)	(6.3%)	(0.0%)	(0.9%)	(0.0%)	(100.0%)			
Mozambique	21	0	13264	0	0	0	13285	6	0.42	464
	(0.2%)	(0.0%)	(99.8%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Nigeria	15588	0	7951	0	0	0	23539	46	0.13	132
	(66.2%)	(0.0%)	(33.8%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Oman	12648	0	0	0	0	0	12648	96	0.25	3400
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Pakistan	60486	2484	30862	0	0	0	93832	54	0.21	434
	(64.5%)	(2.6%)	(32.9%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Qatar	14396	0	0	0	0	0	14396	71	0.39	15119
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Saudi Arabia	176124	0	0	0	0	0	176124	97	0.42	5845
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Senegal	2081	0	267	0	145	51	2544	33	0.09	149
	(81.8%)	(0.0%)	(10.5%)	(0.0%)	(5.7%)	(2.0%)	(100.0%)			
Sudan	2885	0	1239	0	0	0	4124	30	0.05	96
	(70.0%)	(0.0%)	(30.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Syria	31490	0	3445	0	0	0	34935	90	0.35	1194
	(90.1%)	(0.0%)	(9.9%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Tajikistan	401	0	16685	0	0	0	17086	NA	1.88	2254
	(2.3%)	(0.0%)	(97.7%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Togo	113	0	74	0	0	0	187	17	0.07	95
	(60.4%)	(0.0%)	(39.6%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Tunisia	13468	0	145	0	42	0	13655	99	0.15	1128
	(98.6%)	(0.0%)	(1.1%)	(0.0%)	(0.3%)	(0.0%)	(100.0%)			

Turkey	122120	0	39561	94	59	122	161956	NA	2.27	1786
	(75.4%)	(0.0)	(24.4)	(0.1%)	(0.0%)	(0.1%)	(100%)			
Turkmenista n	12817	0	3	0	0	0	12820	NA	3.86	23938
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
United Arab Emirates	60698	0	0	0	0	0	60698	92	0.52	11966
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Uzbekistan	41580	0	6127	0	0	0	47707	NA	0.82	1500
	(87.2%)	(0.0%)	(12.8%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			
Yemen	4741	0	0	0	0	0	4741	36	0.19	155
	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(100.0%)			

Note: NA = not available
Source: a. Data compiled from OECD/IEA 2007; b. OECD/IEA 2006

STRATEGIES FOR IMPLEMENTING RENEWABLE ENERGY PROGRAMS

The widespread application of renewable energy technology can be enhanced by employing several strategies namely (a) establishing education and capacity building programs (b) creating renewable energy market and financing mechanism (c) improving appropriate energy policies and (d) establishing database and international collaboration (e) enhancing industrial collaboration and R&D activities.

Educational and Capacity Building programs

Educational programs are able to provide the technical knowledge and improve the level of competency of service providers, engineers, architects, technicians and academia. Other capacity building programs can enhance the awareness level of the rationales for renewable energy technology among the public, policy makers, investors and financial institutions. Hence, the understanding of renewable energy technology would be raised to the point that they understand the technology, are aware of its true benefits and ecological significances understand the purpose and appreciate the functions of the technology. Educational programs on renewable energy should be implemented as part of the education agendas and well structured in all levels of education system. For instance renewable energy should be included as a chapter in science or physics subject at schools level, undergraduate and post-graduate programs at university level. Thus, the people would be provided with basic knowledge of renewable energy at primary and secondary levels and would have mastered the subject at tertiary level. Capacity building activities include programs such as seminars, workshops and short courses in renewable energy technology and policy. Key personnel especially engineers and architects would have the opportunities to understand and hence apply the technology in the economic sectors.

Renewable Energy Market and Financing Mechanism

The technical feasibility and economic viability of renewable energy technology can be addressed by implementing a number of demonstration projects. These projects will further provide a wider level of acceptance and better understanding of the technology and its benefits. The demonstration projects will also pave the way for providing first hand experiences for improvements in the training and skills of the stakeholders as well as increased efforts in R&D activities. The demonstration programme must address adequate knowledge and experience to architects, engineers, project developers, policy makers and other stakeholders for subsequent follow-up program. Besides, several demonstration projects such as solar hot water heating system for hospitals, hotels and catering services should be implemented. Others include solar industrial process heat in the drying, food and textile industries. To initiate any renewable energy project, funders and investors play crucial roles in financing the project. Funders need to support infrastructure projects by providing loans to project developers. The government may provide soft grants, incentives and lower taxes to reduce the capital investment cost and hence encourage more renewable energy projects. Another financial aid is through the trade of carbon credit. Developing countries and all Islamic countries are eligible to benefit through the Clean Development Mechanism (CDM) which allows industrialized countries with emission commitment to invest in emission reducing projects in developing countries. As shown in ***Figure 10***, renewable electricity projects are by far the most numerous in the CDM portfolio.



FIGURE 10. Number of projects by type, April 2006 (Ellis and Karousakis, 2006)

Apart from that, attracting the manufacturers to invest locally can reduce the cost of renewable energy technology components where import taxes would be avoided. In Malaysia, the future of solar energy technology is promising. Four manufacturers of solar modules have decided to locate their factories in Malaysia due to availability of educated workforce, attractive tax incentives and availability of silica oxide. They are First Solar, a manufacturer of solar modules from United States, German solar cell manufacturer Q-Cells AG, SunPower Corporation and Solarif Sdn Bhd (Baharuddin Ali *et al.*, 2008)

These investments will create job opportunities for the local people and would help in economic growth. There will be demand for more human resource capacity in R&D and manufacturing. Partnership and/or joint ventures with international companies will upgrade local companies. R&D institutions and the technical infrastructure for testing and certification facilities will be established to ensure only high quality commercial renewable energy products are produced for the local and international markets. Therefore, investment taxes and incentives strategy need to be well formulated to attract more international manufacturers and encourage local industries utilizing the renewable energy technology.

The outcome of these strategies will strengthen the industry, consumers and policy/decision makers. These will ensure the increase of renewable technology installed capacity and the long-term cost reduction of the technology via the increase in demand, economies of scale and competitive local manufacturing.

Renewable Energy Policy

Appropriate, proactive and integrated plans and policies will facilitate the development of conducive business environments and thus enhancing further cost reduction of the renewable technology. A good renewable energy policy involves comprehensive studies to formulate appropriate, effective and financially efficient and bankable action plans.

Thus, a compilation of policy, legal, institutional, financial and fiscal measures could be proposed to the respective governments. Studies such as potential of implementing the renewable energy in the country could be proposed as national targets to be achieved in a given period. Achievable targets are important to create confidence and hence encourage more renewable energy projects in the subsequent development plans.

A Feed-in Tariff (FiT) or Feed-in Law (FiL), renewable energy payment or solar premium, is a proven incentive structure to encourage the adoption of renewable energy through government legislation. The regional or national electricity utilities are obligated to buy renewable electricity at above market rates set by the government. The higher price helps overcome the cost disadvantages of renewable energy sources. The rate may differ among various forms of renewable energy power generation.

Schemes such as quota incentive structures (renewable energy standards or renewable portfolio standards) and subsidies create limited protected markets for renewable energy. The supply of renewable energy is achieved by obliging suppliers to deliver to consumers a portion of their electricity from renewable energy sources. In order to do this they collect green electricity certificates. Hence a market is created in green electricity certificates which, according to the theory, generate downward pressure on the prices paid to renewable energy developers. This is based on the theory of perfect competition where there is a multiplicity of buyers and sellers in a market where no single buyer or seller has a big enough market share to have a significant influence on prices. Although, in practice, markets are very rarely perfectly competitive, the assumption is still that a relatively competitive market will produce a more efficient use of resources compared to a system where prices are set by Government fiat.

The fundamental problem with the quota scheme is that there is no long-term certainty. When a quota is set either for a period of time or for a quantity of power, once that goal is reached then there is nothing to keep the green power producers from becoming uneconomic in the face of power produced from coal fired power stations and hence collapsing as businesses. This inevitability with the quota method means that there is reluctance on behalf of investors to get involved in the first place. Those that do get involved are short-term speculators rather than long-term entrepreneurs and so instability is inherent in this system.

It has been argued that FiT is the most effective way to promote the uptake of renewable energy yet devised. After investment subsidies it is the most widespread means of promoting renewable energy uptake in Europe. A very good example is Germany where FiT has successfully created over 300,000 direct employments and created over 200 companies related to solar energy. Malaysia will table the draft feed-in-tariff program to the Parliament in October and will implement it in June 2011.

As discussed above, apart from financial aides, enforcement could be one of the options for enhancing renewable energy market. Government could introduce Mandatory Renewable Generation Targets as legislated requirement on electricity retailers to source specific proportions of total electricity sales from renewable energy sources according to a fixed timeframe. This approach allows electricity purchasers to acquire a certain amount of renewable power from the utilities and could be penalized if they fail to do so. ***Table 4*** shows the renewable energy targets for some of selected Islamic countries. All the relevant data were obtained and compiled from (Saleh, 2006; Al-Saleh, 2008; Ziganshina, 2008).

TABLE 4. Renewable Energy Targets for some of selected Islamic countries

Country	Target(s)
Algeria	Biomass 9.517 Mtoe by year 2050, Wind power 400 GWh/year by year 2020, Solar energy potential 125 MWth of installed capacity, hydropower potential of annual generation is 10 TWh, Energy saving 22.48% of the total energy consumption by 2015 (forecasted at 118 PJ)
Bangladesh	150-MW CSP plant planned for 2012, with grand plans of exporting up to 6 gigawatts (GW) of solar power to southern Europe by 2020
Egypt	Policy sets targets for developing renewable energy resources to meet 5% of the total power demand by 2015 and 10% by 2020
Indonesia	20% share of renewable energy in electricity generation by 2020
Iran	> 5% biofuels, > 10% other new & renewable by 2010; 50-60% and 60-70% share of renewable energy in electricity generation by 2030 and 2050, respectively.
Jordan	500 MW of electricity output by 2010 ; 25-30% and 60-70% share of renewable energy in electricity generation by 2030 and 2050, respectively.
Lebanon	By 2015, 5% of the total energy mix will come from renewable energy resources(A wind Park with a capacity of 75-100 MW. ,A Hybrid Solar Power Plant (CSP) with a capacity of 100-150 MW)

Country	Target(s)
Lebanon	10% of the country's energy needs are covered by the year 2015 by renewable energy sources.
Libya	10MWp From PV, 150MW from Wind, 20000m^3 from Thermal water heating, 20MW from Termal electricity, 20000m^3 from Termal desalination, 20KW from Hydrogen by 2020.
Malaysia	Add 350 MW renewable energy generation capacity by 2010. Introduction of feed-in-tariff programme in 2011.
Morocco	1 GW wind power by 2012 and 400,000 square meters solar hot water added by 2015; 20% share of renewable energy in electricity generation by 2012.
Nigeria	7% share of renewable energy in electricity generation by 2025.
Pakistan	minimum of 9,700 MW by 2030 as per the Medium Term Development Framework (MTDF)[includes the following technologies: Small hydro of 50 MW or less capacity, Solar photovoltaic (PV) and thermal energy for power generation, Wind power generation]; 10% share of renewable energy in electricity generation by 2015.
Saudi Arabia	min 15% by 205
Tunisia	500,000 square meters solar hot water by 2009 and 300 MW added wind by 2011
Turkey	2% of electricity from wind by 2010
Uganda	To increase the use of modern renewable energy, from the current 4% to 61% of the total energy consumption by the year 2017(100 MW small hydro and 45 GW geothermal by 2017; other rural electricity and productive-uses targets)
Uzbekistan	to expand renewable energy use up to 1-2.5% by 2005-2010

Institutional and international Collaboration within Islamic countries

Institutional and collaboration in education, research and development and information services are important for human development, capacity building and data gathering. Database for energy data and statistics could be established to have better monitoring and assessment on the progress of renewable technology implementation.

Centers of excellence for a particular renewable technology should be established to take up the leading responsibility to share the knowledge, provide training and consultancy services to the members.

For instance, the Islamic Scientific, Education and Cultural Organization (ISESCO) in collaboration with the Islamic International Centre for Solar Energy Training, Research and Application (ICETRA-UKM), has taken up the responsibility to host some of the training programs and workshops on renewable energy. The target groups of the workshops ware local policy makers and key personnel from the selected Islamic countries.

Other centres of excellence that should be established are (a) centers of excellence for wind energy conversion (b) centers of excellence for renewable hydrogen and fuel cell (c) centers of excellence for biomass (d) centers of excellence for marine base energy and (e) centers of excellence for hydropower.

Enhancing industrial collaboration and R&D activities

There is no doubt that collaborative R&D has made and will continue to make important contributions to the technological and economic well-being of Islamic countries. But in considering the roles and contributions of collaboration, the Islamic countries must focus on the objectives of collaborative programs, rather than treating R&D collaboration as a "good thing" in and of itself. Collaborative R&D can yield positive payoffs, but it is not without risks. Moreover, R&D collaboration covers a diverse array programs, projects, and institutional actors. No single recipe for project design, program policies, or evaluation applies to all of these disparate entities.

A brief discussion of the potential benefits and risks of R&D collaboration is useful to assess the design and implementation of specific collaborative programs. The economics literature identifies three broad classes of benefits from R&D collaboration among industrial firms: (1) enabling member firms to capture "knowledge spillovers" that otherwise are lost to the firm investing in the R&D that gives rise to them, (2) reducing duplication among member firms' R&D investments, and (3) supporting the exploitation of scale economies in R&D. This group of (theoretical) benefits has been supplemented by others in more recent discussions of policy that often address other forms of collaboration: (1) accelerating the commercialization of new technologies, (2) facilitating and accelerating the transfer of research results from universities or public laboratories to industry, (3) supporting access by industrial firms to the R&D capabilities of federal research facilities, and (4) supporting the creation of a common technological "vision" within an industry that can guide R&D and related investments by public and private entities.

CONCLUSIONS

This study reveals the following conclusions:

1. Some members of the Islamic countries are blessed with the wealth of crude oil and gas. The oil and gas industry in these countries has contributed tremendously to the development of their respective countries as reflected in the high values of GDPPPP. Therefore the implementation of renewable energy programs in these countries are very limited indeed.

2. The countries with very much lower GDPPP have to import crude oil and petroleum products. However, the use of renewable energy resources such as biomass, biogas, hydro, solar photovoltaic and solar thermal, wind, tidal and waves, and geothermal is still not fully exploited. Perhaps fire wood accounts for greater use of renewable energy in poorer countries.

3. Mozambique and Togo depended highly on combustible renewables and wastes, and had very low electrification rate. Mozambique had the highest renewable energy share of 94.7% in TPES from hydro and combustible renewables and wastes.

4. Azerbaijan, Kazakhstan, Kyrgyzstan, Syria, Tajikistan and Uzbekistan relied on hydro as renewable source of energy.

5. Geothermal, solar, wind, tide, and wave had also been utilized by Indonesia, Egypt, Morocco, Senegal and Tunisia for electricity generation.

6. Albania, Cameroon, Mozambique and Tajikistan rely more than 95% of their electricity generation from renewable energy resources, mainly hydro.

7. Bahrain, Brunei Darussalam, Kuwait, Libya, Oman, Qatar, Saudi Arabia, Turkmenistan and United Arab Emirates, which are also net energy exporters, generated electricity 100% from fossil fuels sources.

8. Countries that had per unit GDPPPP of final electricity consumption lower than 0.1kWh/2000US$ had electrification rate lower than 33%.

9. Although some countries were able to generate energy for export, yet they were not able to supply electricity to all areas especially the remote areas due to insufficient transmission and distribution infrastructure, causing groups of population there being deprived of modern energy services.

10. The FiT is a mechanism that allows electricity that is produced from indigenous RE resources to be sold to power utilities at a fixed premium price and for specific duration. It provides a conducive and secured investment environment which will make financial institutions to be comfortable in providing loan with longer period (>15 years) and hence provides fixed revenue stream for installed system. Only pays for electricity produced: promotes system owner to install good quality and maintain the system. With suitable degression rate, manufacturers and installers are promoted to reduce prices while enhancing quality.

11. Long term strategies have to be adopted to promote renewable energy technologies especially namely

    a) Establishing education and capacity building programs

    b) Creating renewable energy market and financing mechanism

c) Improving appropriate energy policies and

d) Establishing database and international collaboration

e) Enhancing industrial collaboration and R&D activities.

The outcome of these strategies will strengthen the industry, consumers, R&D activities and policy/decision makers.

REFERENCES

1. Al-Saleh Y., Upham P. and Malik K.,2008. Renewable Energy Scenarios for the Kingdom of Saudi Arabia, Tyndall Working Paper 125(available online at www.tyndall.ac.uk/publications/working_papers/twp125.pdf)
2. Bertani, Ruggero. Geothermal Power Generation in the World: 2005 - 2010 Update Report. International Geothermal Association, April 2010.
3. Baharuddin Ali, Sopian K, Yen CH, Mat S and Zaharim A., 2008. Key success factors in implementing renewable energy programme. 4th IASME/WSEAS International Conference on Energy, Environment, Ecosystems and Sustainable Development (EEESD'08); 178-182.
4. Dincer I. , 2000. Renewable energy and sustainable development: a crucial review. Renewable and Sustainable Energy Reviews; 4; 157-175
5. Ellis J. and Karousakis K., 2006. The Developing CDM Market: May 2006 Update, OECD (available online at http://www.iea.org/textbase/papers/2006/DevelopingCDM.pdf)
6. ElJrushi, G.S. and Sharif M.A., 1990. Exporting Solar Energy, Hydrogen Energy Progress VIII, Vol. 1, pp 201-206.
7. Gaye A., 2008. Access to Energy and Human Development, Human Development Report 2007/2008 (available online at http://hdr.undp.org/en/reports/global/hdr2007-2008/papers/Gaye_Amie.pdf)
8. Maack M.H. and Skulason, J.B., Hydrogen-Reality Backs Optimism in Iceland, Renewable Energy 2002, World Renewable Energy Network and UNESCO, pp 26 - 29.
9. McGowan J.G.,1990. Large-scale solar/wind electrical production systems-predictions for the 21st Century. In: J.W. Tester, D.O. Wood and N.A. Ferrari Editors, Energy and the environment in the 21st Century MIT, Massachusetts
10. Rehling U., Karcher H., Pradhan M., 2004. Capacity Building in Developing Countries - Bringing Renewable Energy to the People, Science Forum, (available online at http://www.fvsonnenenergie.de/fileadmin/publikationen/Themenhefte/sf2004/sf2004_05_04.pdf)
11. Saleh I. M., 2006. Prospect of renewable energy in Libya, Proceedings of the International Symposium on Solar Physics and Solar Eclipses (SPSE 2006); JAN O. STENFLO;153-161
12. Sarkar A., Ocean Energy Conversion-A Reality, (2002). in Majumdar et al (eds)Renewable Energy: Trends and Prospects, The Pennsylvania Academic of Science, Easton Pennsylvania Ch 6, pp 84 -107.
13. Sopian, K., Abdul Halim Shamsuddin, and T. Nejat Veziroglu (1995) Solar Hydrogen Energy Option for Malaysia, Proceedings of the International Conference on Advances in Strategic Technology, June, UKM, Bangi, pp. 209-220.
14. Tulloch J., 2007. World Energy Outlook 2007: "Everything is Getting Worse"; (available online at http://knowledge.allianz.com/en/globalissues/energy_co2/fossil_fuels/weo_iea_2007.html)

15. Winter C.J. and M.Fuchs, 1991. HYSOLAR and Solar Wasserstoff Bayern, Hydrogen Energy, Vol 16, No. 11, pp 723 -734.

16. Ziganshina D., 2008. Renewable Policy Research Project: Uzbekistan, (available online at www.cawaterinfo.net/library/eng/ziganshina_renewable_policy_research_project_e.pdf)

[a] International Energy Agency. World Energy Outlook; France: OECD/IEA 2006 (available online at www.oecd.org/bookshop/)

[b] Clean Energy Investments Charge Forward Despite Financial Market Turmoil 2008 (available online at http://www.unep.org/Documents.Multilingual/Default.asp?DocumentID=538&ArticleID=5849&l=en)

[c] International Energy Agency. Energy Balances of Non-OECD Countries 2004-2005, International Energy Agency. OECD Publishing ; France; 2007

[d] International Energy Agency. Renewables Information: 2007 Edition. OECD Publishing ; France; 2007

[e] Organization of the Petroleum Exporting Countries. OPEC Annual Statistical Bulletin 2007; Ueberreuter Print und Digimedia: Austria ;2007 (available online at http://www.opec.org/library/Annual%20Statistical%20Bulletin/pdf/ASB2007.pdf)

[f] Watkins k et al. Human development report 2007/2008 - Fighting climate change: human solidarity in a divided world. USA: United Nations Development Programme; 2007 (available online at http://hdr.undp.org/en/media/hdr_20072008_summary_english.pdf)

[g] OECD publishing. World Energy Outlook 2004. Org. for Economic Cooperation & Development; 2004

[h] Renewable energy & energy effeciency partnership (reeep). Regulation and policy Template. Albania (available online at www.rec.org/reeep/energy_country_profiles/albania.pdf)

[k] Time: Renewable energy aspirations in the Arab World, Monday, March 03, 2008, (available online at http://www.arabenvironment.net/archive/2008/3/488158.html)

[m] Renewable Energy Policy of Bangladesh, July 2008, (available online at http://www.epbd.com/admin/important_link_image/12215774811Renewable_Energy_Policy_2008_Draft.doc.)

[n] Krewitt W, Simon S, Pregger T with contributions from Suding P, REN21 Stuttgart. Renewable energy deployment potentials in large economies April 2008, (available online at www.ren21.net/pdf/Renewable_energy_deployment_potentials_in_large_economies.pdf

[p] Accelerating the Development of Renewable Energy in Jordan, (available online at http://www.ren21.net/iap/commitment.asp?id=93)

[q] European neighborhood policy, EU-Lebanon Action Plan, (available online at http://ec.europa.eu/world/enp/pdf/lebanon_enp_ap_final_en.pdf)

[r] Malaysia, Energy Commission, "Ninth Malaysian plan on energy" (available online at http://www.st.gov.my/images/stories/upload/Chapter19_Energy4.pdf).

[s] Website of the Renewable Energy Policy network for the 21st Century, http://www.ren21.net/

[t] Policy for Development of Renewable Energy for Power Generation, Government of Pakistan, (available online at www.pakistan.gov.pk/ministries/water-power-ministry/media/Pakistan REDevelopmentPolicy-Dec092006.pdf, 2006)

[v] Indonesia: Presidential Regulation No. 5/2006 on National Energy Policy, Jan 2006.((available online at http://projects.wri.org/sd-pams-database/indonesia/presidential-regulation-no-5-2006-national-energy-policy)

[w] The renewable energy policy for Uganda, (available online at www.energyandminerals.go.ug/EnergyDocuments/RENEWABLE%20ENERGY %20POLIC9-11-07. pdf)